Sika Ferrogard 500 Crete



Version	Revision Date:	SDS Number:	Date of last issue: 24.08.2018
2.0	26.02.2022	00000612693	Date of first issue: 24.08.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Sika Ferrogard 500 Crete
Product code	:	000000612693
Manufacturer or supplier's d	eta	ils
Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	•	+61 2 9725 11 45
Telefax	:	+61 2 9725 33 30
Emergency telephone num- ber	:	+61 1800 033 111
Recommended use of the ch	err	ical and restrictions on use
Product use	:	Repairing mortar

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

Sika Ferrogard 500 Crete



Version 2.0	Revision Date: 26.02.2022	SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018
		and keep at rest in a positi POISON CENTER or docto P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER or doctor/ physic P332 + P313 If skin irritatio tion.	HALED: Remove victim to fresh air on comfortable for breathing. Call a or/ physician if you feel unwell. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON ian. on occurs: Get medical advice/ atten- ed clothing and wash before reuse.
		Storage: P403 + P233 Store in a we tightly closed.	ell-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium dihydroxide	1305-62-0	>= 30 -< 60

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed	:	Clean mouth with water and drink afterwards plenty of water.		
2/9				

Sika Ferrogard 500 Crete



Versio 2.0	on Revision Date: 26.02.2022		SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018
			Do not give milk or alcoholic beve Never give anything by mouth to a Obtain medical attention.	
	Most important symptoms and effects, both acute and delayed	:	irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	information on health effects
	Notes to physician	:	Treat symptomatically.	
SEC	TION 5. FIREFIGHTING ME	ASU	RES	
	Suitable extinguishing media	:	Use extinguishing measures that a cumstances and the surrounding o	
	Hazardous combustion prod- ucts	- :	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical t	fires.
	Special protective equipment for firefighters	t:	In the event of fire, wear self-conta	ained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions :	:	Try to prevent the material from entering drains or water courses.
Methods and materials for : containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see

Sika Ferrogard 500 Crete



Version 2.0	Revision Date: 26.02.2022		SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018
			plication area.	•
Hygi	ene measures	:	Handle in accordance with go practice. When using do not eat or drir When using do not smoke. Wash hands before breaks an	
Con	ditions for safe storage	:	Store in original container. Keep in a well-ventilated plac Observe label precautions. Store in accordance with loca	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

components with workplace control parameters							
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
calcium dihydroxide	1305-62-0	TWA	5 mg/m3	AU OEL			
Personal protective equipmen	t						
Respiratory protection :	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.			monstrates guidelines. or the max- nen han-			
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-essary.			en handling			
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.						
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe cific work-place.						

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Sika Ferrogard 500 Crete



Version 2.0	Revision Date: 26.02.2022		SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018
Арр	earance	:	paste	
Col	our	:	white	
Odd	bur	:	odourless	
Odd	our Threshold	:	No data available	
pH		:	> 7	
	ting point/range / Freezing	:	No data available	
poir Boil	nt ing point/boiling range	:	No data available	
Flas	sh point	:	> 250 °C (> 482 °F) (Method: closed cup)	
Eva	poration rate	:	No data available	
Flar	nmability (solid, gas)	:	No data available	
	per explosion limit / Upper Imability limit	:	No data available	
	ver explosion limit / Lower nmability limit	:	No data available	
Vap	our pressure	:	No data available	
Rela	ative vapour density	:	No data available	
Der	isity	:	1.5 g/cm3 (20 °C (68 °F))	
	ubility(ies) Water solubility	:	partly soluble	
\$	Solubility in other solvents	:	No data available	
	tition coefficient: n-	:	No data available	
	anol/water p-ignition temperature	:	No data available	
Dec	composition temperature	:	No data available	
	cosity /iscosity, dynamic	:	No data available	
v	/iscosity, kinematic	:	Not applicable	
Exp	losive properties	:	No data available	
Oxi	dizing properties	:	No data available	

Sika Ferrogard 500 Crete



Version 2.0	Revision Date: 26.02.2022	SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018	
Volatile organic compounds		: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable		
SECTION 10. STABILITY AND REACTIVITY				

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Sika Ferrogard 500 Crete



Version	Revision Date: 26.02.2022	SDS Number:	Date of last issue: 24.08.2018
2.0		000000612693	Date of first issue: 24.08.2018

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Sika Ferrogard 500 Crete



ersion 0		SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018
Natio	nal Regulations		
ADG			
Not re	gulated as a dangerous good		
SECTION	15. REGULATORY INFORMATIO	N	
Stand	•	ulations/legislatio	n specific for the substance or mixture aber allocated
Poiso	ns		
	ational Chemical Weapons Conve lules of Toxic Chemicals and Prec	· · · ·	Not applicable
Prohit	bition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino-

The components of this product are reported in the following inventories:AICS: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date Date format	:	26.02.2022 dd.mm.yyyy		
Full text of other abbreviations				
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.		
AU OEL / TWA	:	Exposure standard - time weighted average		
ADG	:	Australian Dangerous Goods Code.		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		

Sika Ferrogard 500 Crete



Version 2.0	Revision Date: 26.02.2022		SDS Number: 000000612693	Date of last issue: 24.08.2018 Date of first issue: 24.08.2018
PBT PNEC REACH		:	and of the Council of 18 De	ration 006 of the European Parliament cember 2006 concerning the Reg-
SVHC vPvB		:		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN